

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## Non-Unitary Partition Tables.

By Professor Cayley.

In the theory of Seminvariants we are concerned with the non-unitary partitions of a number, that is, the number of ways of making up the number with the parts 2, 3, 4, ...; or what is the same writing, writing  $2 = 1 - x^2$ ,  $3 = 1 - x^3$ , etc. with the Generating Functions having in their denominators the factors 2, 3, 4, etc. In the present short paper, I give the developments up to  $x^{100}$  of the functions  $1 \div 2$ , 2.3, 2.3.4, 2.3.4.5, 2.3.4.5.6, respectively: and also of the function  $x^6 + x^{13} - 2x^{16} - x^{18} + x^{31} \div 2.3.4.5.6$ , which function is (there is strong reason to believe) the G. F. for the number of sextic syzygies of a given weight: the same function without the term  $x^{31}$  occurs p. 115 in Professor Sylvester's paper "On Subinvariants, *i. e.* Seminvariants to Binary Quantics of an Unlimited Order," A. M. J. t. V (1882), pp. 79–136.

In the tables X is written to denote  $x^6 + x^{13} - 2x^{16} - x^{18} + x^{31}$ .

		i					,			,	
	1÷				$X \div$		1÷				$X \div$
Ind. $x$	2.3	2.3.4	2.3.4.5	2.3.4.5.6	2.3.4.5.6	$\operatorname{Ind}_{\cdot} x$	2.3	2.3.4	2.3.4.5	2.3.4.5.6	2.3.4.5.6
0	1	1	1	1		50	9	65	258	750	186
1	0	0	0	0		51	9	61	268	783	226
2	1	1	1	1		52	9	70	286	854	203
3	1	1	1	1		53	9	65	297	891	248
4	1	2	2	2		54	10	75	316	972	223
5	1	1	2	2		55	9	70	328	1010	270
6	2	3	3	4	1	56	10	80	348	1098	242
7	1	2	3	3	0	57	10	75	361	1144	294
8	2	4	5	6	1	58	10	85	382	1236	262
9	2	3	5	6	1	59	10	80	396	1287	319
10	2	5	7	9	2	60	11	91	419	1391	284
11	2	4	7	9	2	61	10	85	433	1443	344
12	3	7	10	14	4	62	11	96	457	1555	306
13	2	5	10	13	4	63	11	91	473	1617	371
14	3	8	13	19	6	64	11	102	<b>59</b> 8	1734	328
15	3	7	14	20	7	65	11	96	515	1802	399
16	3	10	17	26	8	66	12	108	541	1932	353
17	3	8	18	27	11	67	11	102	559	2002	427
18	4	12	22	36	13	<b>6</b> 8	12	114	587	2142	377
19	• 3	10	23	36	15	69	12	108	606	2223	457
20	4	14	28	47	17	70	12	120	635	2369	402
21	4	12	29	49	21	71	12	114	655	2457	490
22	4	16	34	60	22	72	13	127	686	2618	429
23	4	14	36	63	28	73	12	120	707	2709	519
24	5	19	42	78	29	74	13	133	739	2881	456
25	4	16	44	80	35	75	13	127	762	2985	552
26	5	21	50	97	36	76	13	140	795	3164	483
27	5	19	53	102	44	77	13	133	819	3276	586
28	5	24	60	120	43	78	14	147	854	3472	513
29	5	21	63	126	54	79	13	140	879	3588	620
30	6	27	71	149	53	80	14	154	916	3797	542
31	5	24	74	154	64	81	14	147	942	3927	656
32	6	30	83	180	62	82	14	161	980	4144	572
33	6	27	87	189	78	83	14	154	1008	4284	693
34	6	33	96	216	72	84	15	169	1048	4520	604
35	6	30	101	227	89	85	14	161	1077	4665	730
36	7	37	111	260	84	86	15	176	1118	4915	636
37	6	33	116 127	270	102	87	15	169	1149	5076	769
39	7	40 37	133	307 322	96	88	15	184	1192	5336	568
40	7	44	145	361	117 108	89	15	176	1224	5508	809
· I	ì	1	1	I.	1	90 *	16	192	1269	5789	703
41 42	8	40 48	151 164	378 424	133 123	91	15	184	1302	5967	849
43	7	44	171	424 441	149	92	16	200	1349	6264	736
44	8	52	185	492	137	93	16	192	1384	6460	891
45	8	48	193	515	167	94	16	208	1432	6768	772
46	8	56	207	568	152	95	16	200	1469	6977	934
47	8	52	216	594	186	96	17	217	1519	7308	809
48	9	61	232	656	169	97	16	208	1557	7524	977
49	8	56	241	682	205	98	17	225	1609	7873 8100	846 1022
		50	~		~00	99 100	17 17	217 234	1649 1883	8109 8651	883
						100	1,	204	1009	3001	000